

```

nfse.wsdl
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<wsdl:definitions xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:ws="http://nfse.abrasf.org.br"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" name="nfse"
targetNamespace="http://nfse.abrasf.org.br">
  <wsdl:types>
    <xsd:schema targetNamespace="http://nfse.abrasf.org.br">
      <xsd:complexType name="input">
        <xsd:sequence>
          <xsd:element name="nfseCabecMsg"
type="xsd:string" minOccurs="1" maxOccurs="1"/>
          <xsd:element name="nfseDadosMsg"
type="xsd:string" minOccurs="1" maxOccurs="1"/>
        </xsd:sequence>
      </xsd:complexType>
      <xsd:complexType name="output">
        <xsd:sequence>
          <xsd:element name="outputXML" type="xsd:string"
/>
        </xsd:sequence>
      </xsd:complexType>
      <xsd:element name="CancelarNfseRequest" type="ws:input" />
      <xsd:element name="CancelarNfseResponse" type="ws:output" />
      <xsd:element name="ConsultarLoteRpsRequest" type="ws:input" />
      <xsd:element name="ConsultarLoteRpsResponse" type="ws:output" />
      <xsd:element name="ConsultarNfseServicoPrestadoRequest"
type="ws:input" />
      <xsd:element name="ConsultarNfseServicoPrestadoResponse"
type="ws:output" />
      <xsd:element name="ConsultarNfseServicoTomadoRequest"
type="ws:input" />
      <xsd:element name="ConsultarNfseServicoTomadoResponse"
type="ws:output" />
      <xsd:element name="ConsultarNfsePorFaixaRequest" type="ws:input"
/>
      <xsd:element name="ConsultarNfsePorFaixaResponse"
type="ws:output" />
      <xsd:element name="ConsultarNfsePorRpsRequest" type="ws:input"
/>
      <xsd:element name="ConsultarNfsePorRpsResponse" type="ws:output"
/>
      <xsd:element name="RecepcionarLoteRpsRequest" type="ws:input" />
      <xsd:element name="RecepcionarLoteRpsResponse" type="ws:output"
/>
      <xsd:element name="GerarNfseRequest" type="ws:input" />
      <xsd:element name="GerarNfseResponse" type="ws:output" />
      <xsd:element name="SubstituirNfseRequest" type="ws:input" />
      <xsd:element name="SubstituirNfseResponse" type="ws:output" />
      <xsd:element name="RecepcionarLoteRpsSincronoRequest"
type="ws:input" />
      <xsd:element name="RecepcionarLoteRpsSincronoResponse"

```

nfse.wsdl

```

type="ws:output" />
  </xsd:schema>
</wsdl:types>
  <wsdl:message name="CancelarNfseRequest"><wsdl:part
element="ws:CancelarNfseRequest" name="parameters"/></wsdl:message>
  <wsdl:message name="CancelarNfseResponse"><wsdl:part
element="ws:CancelarNfseResponse" name="parameters"/></wsdl:message>
  <wsdl:message name="ConsultarLoteRpsRequest"><wsdl:part
element="ws:ConsultarLoteRpsRequest" name="parameters"/></wsdl:message>
  <wsdl:message name="ConsultarLoteRpsResponse"><wsdl:part
element="ws:ConsultarLoteRpsResponse" name="parameters"/></wsdl:message>
  <wsdl:message name="ConsultarNfseServicoPrestadoRequest"><wsdl:part
element="ws:ConsultarNfseServicoPrestadoRequest"
name="parameters"/></wsdl:message>
  <wsdl:message name="ConsultarNfseServicoPrestadoResponse"><wsdl:part
element="ws:ConsultarNfseServicoPrestadoResponse"
name="parameters"/></wsdl:message>
  <wsdl:message name="ConsultarNfseServicoTomadoRequest"><wsdl:part
element="ws:ConsultarNfseServicoTomadoRequest"
name="parameters"/></wsdl:message>
  <wsdl:message name="ConsultarNfseServicoTomadoResponse"><wsdl:part
element="ws:ConsultarNfseServicoTomadoResponse"
name="parameters"/></wsdl:message>
  <wsdl:message name="ConsultarNfsePorFaixaRequest"><wsdl:part
element="ws:ConsultarNfsePorFaixaRequest" name="parameters"/></wsdl:message>
  <wsdl:message name="ConsultarNfsePorFaixaResponse"><wsdl:part
element="ws:ConsultarNfsePorFaixaResponse" name="parameters"/></wsdl:message>
  <wsdl:message name="ConsultarNfsePorRpsRequest"><wsdl:part
element="ws:ConsultarNfsePorRpsRequest" name="parameters"/></wsdl:message>
  <wsdl:message name="ConsultarNfsePorRpsResponse"><wsdl:part
element="ws:ConsultarNfsePorRpsResponse" name="parameters"/></wsdl:message>
  <wsdl:message name="RecepcionarLoteRpsRequest"><wsdl:part
element="ws:RecepcionarLoteRpsRequest" name="parameters"/></wsdl:message>
  <wsdl:message name="RecepcionarLoteRpsResponse"><wsdl:part
element="ws:RecepcionarLoteRpsResponse" name="parameters"/></wsdl:message>
  <wsdl:message name="GerarNfseRequest"><wsdl:part element="ws:GerarNfseRequest"
name="parameters"/></wsdl:message>
  <wsdl:message name="GerarNfseResponse"><wsdl:part
element="ws:GerarNfseResponse" name="parameters"/></wsdl:message>
  <wsdl:message name="SubstituirNfseRequest"><wsdl:part
element="ws:SubstituirNfseRequest" name="parameters"/></wsdl:message>
  <wsdl:message name="SubstituirNfseResponse"><wsdl:part
element="ws:SubstituirNfseResponse" name="parameters"/></wsdl:message>
  <wsdl:message name="RecepcionarLoteRpsSincronoRequest"><wsdl:part
element="ws:RecepcionarLoteRpsSincronoRequest"
name="parameters"/></wsdl:message>
  <wsdl:message name="RecepcionarLoteRpsSincronoResponse"><wsdl:part
element="ws:RecepcionarLoteRpsSincronoResponse"
name="parameters"/></wsdl:message>
  <wsdl:portType name="nfse">
    <wsdl:operation name="CancelarNfse">
      <wsdl:input message="ws:CancelarNfseRequest"/>

```

```

        nfse.wsdl
        <wsdl:output message="ws:CancelarNfseResponse"/>
    </wsdl:operation>
    <wsdl:operation name="ConsultarLoteRps">
        <wsdl:input message="ws:ConsultarLoteRpsRequest"/>
        <wsdl:output message="ws:ConsultarLoteRpsResponse"/>
    </wsdl:operation>
    <wsdl:operation name="ConsultarNfseServicoPrestado">
        <wsdl:input message="ws:ConsultarNfseServicoPrestadoRequest"/>
        <wsdl:output message="ws:ConsultarNfseServicoPrestadoResponse"/>
    </wsdl:operation>
    <wsdl:operation name="ConsultarNfseServicoTomado">
        <wsdl:input message="ws:ConsultarNfseServicoTomadoRequest"/>
        <wsdl:output message="ws:ConsultarNfseServicoTomadoResponse"/>
    </wsdl:operation>
    <wsdl:operation name="ConsultarNfsePorFaixa">
        <wsdl:input message="ws:ConsultarNfsePorFaixaRequest"/>
        <wsdl:output message="ws:ConsultarNfsePorFaixaResponse"/>
    </wsdl:operation>
    <wsdl:operation name="ConsultarNfsePorRps">
        <wsdl:input message="ws:ConsultarNfsePorRpsRequest"/>
        <wsdl:output message="ws:ConsultarNfsePorRpsResponse"/>
    </wsdl:operation>
    <wsdl:operation name="RecepcionarLoteRps">
        <wsdl:input message="ws:RecepcionarLoteRpsRequest"/>
        <wsdl:output message="ws:RecepcionarLoteRpsResponse"/>
    </wsdl:operation>
    <wsdl:operation name="GerarNfse">
        <wsdl:input message="ws:GerarNfseRequest"/>
        <wsdl:output message="ws:GerarNfseResponse"/>
    </wsdl:operation>
    <wsdl:operation name="SubstituirNfse">
        <wsdl:input message="ws:SubstituirNfseRequest"/>
        <wsdl:output message="ws:SubstituirNfseResponse"/>
    </wsdl:operation>
    <wsdl:operation name="RecepcionarLoteRpsSincrono">
        <wsdl:input message="ws:RecepcionarLoteRpsSincronoRequest"/>
        <wsdl:output message="ws:RecepcionarLoteRpsSincronoResponse"/>
    </wsdl:operation>
</wsdl:portType>

<wsdl:binding name="nfseSOAP" type="ws:nfse">
    <soap:binding style="document"
transport="http://schemas.xmlsoap.org/soap/http"/>
    <wsdl:operation name="CancelarNfse">
        <soap:operation soapAction="http://nfse.abrasf.org.br/CancelarNfse"/>
        <wsdl:input><soap:body use="literal"/></wsdl:input>
        <wsdl:output><soap:body use="literal"/></wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsultarLoteRps">
        <soap:operation soapAction="http://nfse.abrasf.org.br/ConsultarLoteRps"/>
        <wsdl:input><soap:body use="literal"/></wsdl:input>
        <wsdl:output><soap:body use="literal"/></wsdl:output>

```

nfse.wsdl

```
</wsdl:operation>
  <wsdl:operation name="ConsultarNfseServicoPrestado">
    <soap:operation
soapAction="http://nfse.abrasf.org.br/ConsultarNfseServicoPrestado"/>
      <wsdl:input><soap:body use="literal"/></wsdl:input>
      <wsdl:output><soap:body use="literal"/></wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsultarNfseServicoTomado">
      <soap:operation
soapAction="http://nfse.abrasf.org.br/ConsultarNfseServicoTomado"/>
        <wsdl:input><soap:body use="literal"/></wsdl:input>
        <wsdl:output><soap:body use="literal"/></wsdl:output>
      </wsdl:operation>
      <wsdl:operation name="ConsultarNfsePorFaixa">
        <soap:operation
soapAction="http://nfse.abrasf.org.br/ConsultarNfsePorFaixa"/>
          <wsdl:input><soap:body use="literal"/></wsdl:input>
          <wsdl:output><soap:body use="literal"/></wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsultarNfsePorRps">
          <soap:operation
soapAction="http://nfse.abrasf.org.br/ConsultarNfsePorRps"/>
            <wsdl:input><soap:body use="literal"/></wsdl:input>
            <wsdl:output><soap:body use="literal"/></wsdl:output>
          </wsdl:operation>
          <wsdl:operation name="RecepcionarLoteRps">
            <soap:operation
soapAction="http://nfse.abrasf.org.br/RecepcionarLoteRps"/>
              <wsdl:input><soap:body use="literal"/></wsdl:input>
              <wsdl:output><soap:body use="literal"/></wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="GerarNfse">
              <soap:operation soapAction="http://nfse.abrasf.org.br/GerarNfse"/>
                <wsdl:input><soap:body use="literal"/></wsdl:input>
                <wsdl:output><soap:body use="literal"/></wsdl:output>
              </wsdl:operation>
              <wsdl:operation name="SubstituirNfse">
                <soap:operation soapAction="http://nfse.abrasf.org.br/SubstituirNfse"/>
                  <wsdl:input><soap:body use="literal"/></wsdl:input>
                  <wsdl:output><soap:body use="literal"/></wsdl:output>
                </wsdl:operation>
                <wsdl:operation name="RecepcionarLoteRpsSincrono">
                  <soap:operation
soapAction="http://nfse.abrasf.org.br/RecepcionarLoteRpsSincrono"/>
                    <wsdl:input><soap:body use="literal"/></wsdl:input>
                    <wsdl:output><soap:body use="literal"/></wsdl:output>
                  </wsdl:operation>
                </wsdl:binding>
                <wsdl:service name="NfseWSService">
                  <wsdl:port binding="ws:nfseSOAP" name="nfseSOAP">
                    <soap:address location="http://ws.pbh.gov.br"/>
                  </wsdl:port>
```

nfse.wsdl

```
</wsdl:service>  
</wsdl:definitions>
```